

# Rooted in

Isn't there a certain romanticism that embodies Italian cycling? The feeling of culture, art, craftsmanship, and perhaps just a little bit of legend and mystique? Those beautiful Italian races, the climbs, the suffering...and the personalities who have made history - Coppi Gimondi, Bartali, Campagnolo, and later Pantani, Cipollini, and Basso. If it is true that Italian cycling is rooted in passion, then perhaps Faliero Masi personifies it best of all. For who else captured Faliero's relentless pursuit of perfection, in a setting as magical as his workshop underneath the Vigorelli velodrome? The perfect builder, in the perfect setting, with the purest of goals; to create the perfect-riding bicycle.

To better understand the legend of Masi, it helps to understand the family that created this iconic cycling brand. In the late 1930s, after racing professionally in classics like the Giro d'Italia and Milan San Remo, Faliero Masi gained an intimate understanding of how a properly crafted racing bike should be built, and by the 1950s, Cicli Masi had quickly become one of the most sought after custom Italian bicycle brands in the world.

Nicknamed "The Tailor" for his remarkable ability to custom fit any size and type of rider, Faliero built custom frames in his Milan workshop beneath the Vigorelli Velodrome - where it still remains to this day - for the biggest names in professional cycling. Although some riders like Merckx, Coppi and Anguetil had contractual obligations to other brands. they still raced a disquised Masi in all the classics.

In 1972, Faliero brought the Masi tradition to the United States along with one of the most talented bicycle craftsmen of all-time, Mario Confente. Masi located in sunny San Diego, California and began contracting with the biggest legends in American frame building including Ted Kirkbride, Brian Baylis, Dave Moulton, Albert Eisentraut, Mike Howard, Joe Starck and David Tesch.

To Masi collectors, or "Masiphiles", the 1970s California Masis are regarded as the finest in company history. One such example is the Gra Criterium, which is described by collectors as "extraordinary" and "spectacular". Masi also introduced industry firsts like full investment-cas lugs, further elevating the brand to the highest level of quality and craftsmanship.

But perhaps what sealed the legend of the Masi brand permanently was its appearance in the 1979 Academy Award-winning cycling movie "Breaking Away". Like James Bond in his clever Aston Martin or the Lone Ranger with his horse Silver, Dave Stoller aboard his Ferrari red 1978 Gran Criterium became an instant Hollywood legend, especially when he drafted behind a big rig at 60 miles-an-hour in his small chainring! By the late 1970's, Faliero had returned to Italy, and Ted Kirkbride had taken over the helm of Masi California, producing frames in the spirit of the Italian master, but with the crispness of an American custom. In fact, all Olympic medalists and most all of the World Track Champions who won their respective titles on Masi frames did so on Masi California frames.

In 1982, with the advent of new materials and technology, Faliero's son, Alberto Masi developed the concept for the revolutionary "3V Volumetrica", the very first internally-lugged, oversize tube, thin-walled steel bike ever produced, which forever changed the way frames were built. The 3V Volumetrica was so far ahead of its time that modern legends like Miguel Indurain and Greg hand at a local Masi dealer near you. LeMond got one of their very own. Viatcheslav Ekimov and his Soviet team – all aboard Masi pursuit bikes - took the team pursuit gold medal in the 1988 Olympic Games in Seoul, Korea.

According to bicycle histo the renowned prestige of l cycles is for two reasons; one, almost a beautiful bikes. He declare is have been Gran Criterium "a paradigm of Italian framebuilding"...even if it wasn't built in Italy! Second, "Masi frames almost without exception are great-riding bikes." Faliero's mission was to build an "honest bike", one that rode well, was durable, and was built with the finest materials available, regardless of where the materials were from or where the frames happen to be made. This "Masi way" coincides perfectly with Masi's belief that it doesn't matter where the frame is built, only that it be built properly, using the finest materials available.

Today, Masi looks towards the future without ever forgetting our storied heritage, for it's an elemental part of our existence. From the classic Gran Criterium made with Reynolds 525 steel to the cutting-edge, high-modulus carbon fiber Evoluzione featuring Total Overdrive System technology, Masi uses a variety of materials, appendix and impossibles to deliver materials, geometries and innovations to deliver exactly what "The Tailor" always aspired to building the perfect ride.

If your goal is to own not just a world-class bicycle, but to be a part of one of the most iconic brands in Italian cycling history, look no further. A perfect blend of old world mystique and new world technology, every one of today's Masis delivers exactly what Faliero himself created over 80 years ago; the perfect riding bicycle. Experience it first



IT'S ALL ABOUT the Ride



A zero compromise magical blend of 3 types of carbon

for the ultimate in ride quality. Utilizes premium quality

T-700/M40J/M46J ultra-high modulus carbon fiber

extremely lightweight, stiff and compliant frameset.

The ultimate choice on race day.

and high-performance frame technology to provide an



High-modulus T-700 carbon fiber along with high performance technology is used to handcraft these lightweight framesets. T-700 is ultra-strong and is the most common high-end carbon fiber used on upper end bicycles because of its outstanding properties of outstanding

Evoluzione Dura Ace Di2, Dura Ace, Ultegra Di2 and Ultegra Evoluzione 105

strength to weight ratio and vibration dampening.

Featured on all Premiare models





Our own unique blend of high-modulus T-700/HR40/ MR60 carbon fiber composite material. Provides a high strength, lightweight carbon and combined with a carbon of superior shock absorption to form an efficient, lightweight and forgiving platform. Paired with either a Masi FC/Pro or supple Elite/RS integrated carbon fiber fork.





MA6- Utilizing new aircraft grade X6 ultra-light tubing allows us to make our frames up 30% lighter as well stronger making for a lighter feel, greater stability and improved ride quality.

Gran Corsa





High-quality and lightweight double-butted 6000 series, custom formed aluminum frame with Masi Elite/RS carbon fiber fork. Stable but agile performers when matched with a compliant carbon fork to eliminate road vibration.

Performance Inizio, Partenza, Alare, Vincere




# REYNOLDS525

Tried and true mandrel butted for accurate profiles, available in a wide range of shapes. Reynolds 525 can be used for sports car chassis, suspension units, motorcycle race frames etc. in welded and fillet-brazed structures. Perfect choice for a beautifully lugged frameset with an unforgettable ride quality.

Gran Criterium












If subtle is not your style, then climb aboard the official bike of the Monster Media Powered by MRI team. Sporting head-turning Team Green paint, Mercury M3/M5 carbon wheels with wide clincher rims and a full Ritchey WCS package including saddle, handlebar, seatpost and stem, the Evoluzione Dura Ace Di2 has been dominating podiums all over the country. Featuring super-fast effortless shifting and internal Di2 routing for that attention to detail, Dura Ace Di2 makes the Evoluzione sleeker and faster than ever before.





# CAMPAGNOLO RECORD

A Masi without Campagnolo is like a Ferrari without red paint. New for 2014, the Evoluzione Record features the legendary 11-speed Campagnolo Record groupset, blending gorgeous Italian style with superior performance that World Champions and Tour De France winners have depended on for 80 years.

# SRAM RED

If elegance and simplicity is what you want in a race bike, then climb aboard the Evoluzione Red. Recently redesigned from the ground up, SRAM Red 22 is extremely lightweight, shaving precious grams off the Evoluzione while delivering crisp, precise shifting performance of the DoubleTap® system.

\*Record and Red Evoluzione models available by special order only.










For those who prefer the sensation of mechanical shifting with stealthy matte charcoal and white paint, the Evoluzione Dura Ace is one of the best no-compromise racing machines going. Outfitted with Shimano Dura-Ace 9000 11-speed groupset, Mercury S3/S5 wheels with wide clincher rims and Ritchey WCS bar, stem, saddle and seatpost, the Evoluzione Dura Ace is fully equipped to dominate.








Evoluzione U L T E G R A Di2 / ULTEGRA



Outfitted with the much anticipated Shimano Ultegra 6870 11-speed electric shift system, the Evoluzione Ultegra Di2 represents one of the most outstanding ultra-high performance race bikes in the entire industry. With precision push button shifting and auto-trimming derailleurs, the Evoluzione Ultegra Di2 lets you forget about shifting so you can focus on perfecting your victory salute.

The undisputed workhorse of the bike racing world, the Evoluzione Ultegra delivers a perfect blend of pro-level performance and unflinching reliability that stands up to even the most rigorous everyday training conditions. Featuring the all-new Shimano Ultegra 6800 11-speed groupset, the Evoluzione Ultegra makes no compromises.

MCZ HIGH MODULUS





# TOTAL OVERDRIVE SYSTEM (TOS)

At the core of every Evoluzione is the Total Overdrive System (TOS), a design concept that optimizes lightness, stiffness, and comfort, creating a no-compromises race machine that you'll enjoy training on almost as much as you enjoy winning on. TOS begins with using premium quality Masi MC7 ultra-high modulus or Masi MC5 high-modulus carbon fiber with full carbon dropouts to cut weight and increase stiffness. To ensure every watt of climbing power you put into the pedals is transferred to the ground, TOS features custom-molded and oversized chainstays. To guide you through every chicane with razor precision, TOS uses a 1.125"x1.5" tapered steerer tube paired with exclusive FC/Pro and Elite/RS carbon forks for increased front end rigidity and control. And to help get you across the finish line first in even the most blistering sprints, TOS features a wider, more aerodynamic top tube to resist twisting forces and deliver more stability at high speeds.

Because Masi understands that more of your time is spent training than racing, TOS also delivers an exceptionally comfortable ride, with specially molded seatstays that soak up the bumps of even the most miserable roads.

# MERCURY WHEELS

Designed to match the uncompromising tradition of Masi quality, Mercury Wheels are hand built in the USA and are the official race wheel of the Monster Media Presented by MRI race team. Equipped on select Evoluzione models, the Mercury S3 and S5 carbon fiber clincher wheelsets feature a wider rim profile for enhanced dynamics and road feel and a dual carbon layup process for added strength-to-weight ratio, making them the perfect wheelset for both hardcore racing and training.







For those serious about winning, the Evoluzione 105 delivers. With its MC5 (T-700) High Modulus carbon frame, tastefully understated matte charcoal and red paint, FSA Gossamer Pro cranks, Ritchey components and Pro DS wheelset, you have the foundation of a podium machine. Add in Di2 compatibility and the Evoluzione 105 is a frameset you can hold onto for years to come.




Featuring five models, including two Bellissima models custom fit for women with zero offset seatpost, women's saddle, shorter stem and narrower bars, the 2014 Premiare lineup represents a new direction for high performance road bikes. Built with Masi MC3 (T-700/HR40/MR60) high modulus carbon fiber and paired to a Masi Elite/RS integrated carbon fiber fork, the Premiare rewards its owners with an unparalleled riding experience. And considering Premiare means "to reward" in Italian, we couldn't think of a better name for this technologically advanced machine designed with all the endearing attributes of a vintage Masi.



MC2 HIGH MODULUS














Ritchey Comp 2 bolt seatpost Reynolds Stratus Elite wheelset

Kenda Kriterium 25c tires

MASI 2014 /

Tektro R540 dual pivot brakeset w/ cartridge pads

Masi MC3 carbon frame w/internal rear brake routing and integrated headtube

Masi Elite/RS carbon integrated fork w/ 7075 alloy steerer FSA Omega crankset; 50/34 w/ Mega EXO BB

Shimano 105 shifters, front and rear derailleur

Shimano 4600 12-30t 10 speed cassette

Ritchey Comp Logic II bar / Ritchey alloy stem Masi SLS saddle

Ritchey alloy seatpost

Alloy 20/24h cassette hubs w/ alloy QR

Ritchey Pro DS 20/24 rims

Kenda Kontender 26c tires

Tektro R340 dual pivot brakeset

w/ cartridge pads














As the ultimate 'do-all' road bike, the PC4 is just as comfortable eating up a double century as it is competing in a long and grueling road race. Outfitted with the razor sharp new Shimano Ultegra 6800 11-speed shifting and a new FSA 386 EVO bottom bracket with 30mm bearings, the PC4 reduces weight and maximizes every pedal stroke of energy whether racing or just going on a long training ride.

If your goal is to ride as many Gran Fondos as you can, then the PC3 should be the first bike on your list. Whether sporting the timeless matte blue white and grey paint scheme or the racy cherry cola and grey colors on the Bellissima, the PC3 features new deeper profile wheels for improved aerodynamics and trusty Shimano 105 components designed to carry you hundreds of miles in comfort, speed and style.



















Performance GRAN CORSA / VINCERE / BELLISSIMA



Dating back to the 1970s, Gran Corsa is a name synonymous with timeless style, elegance and performance, and the modern iteration of this classic is no different. Featuring the same race-bred geometry as the flagship Evoluzione series, new lightweight X6 aluminum tubing with PF 30 bottom bracket and a tapered head tube, the Gran Corsa continues its legendary namesake with modern technology to make it faster than ever before.

Gran Corsa

Everyone remembers their first real race bike, for it was the machine that helped them transition from bike rider to bike racer. The Vincere is exactly that machine, offering a remarkable blend of performance and value with both traditional and women specific Bellissima models sporting Shimano Tiagra shifting, deeper profile aerodynamic wheels and all-new graphics for 2014.













Whoever said a genuine racing bike has to be expensive has never heard of the Alare. Blending high technology features like internal cable routing and an integrated carbon fiber fork with Shimano Sora shifting, the Alare delivers a serious performance punch. With both traditional and women-specific Bellissima models, the Alare fits everyone for that perfect Masi ride.

Masi is rich with racing heritage, but some ride a Masi simply for health, fun or an alternative way to work. Just because you don't race doesn't mean you can't benefit from timeless Italian style. The Partenza features a new Shimano Claris 2400 8-speed shifting system, race-inspired geometry, custom formed aluminum tubing and carbon fiber fork available in both traditional and women-specific Bellissima designs.

6000 DOUBLE-BUTTED AL

# Asi MA4 double-butted alloy frame Masi Elite/RS carbon integrated fork w/ 7075 alloy steerer

Forged Alloy crankset; 50/34 w/ sealed cartridge BB Shimano A070 shifters, front and rear derailleur

Sunrace CSM-63 cassette 11-28T 7-speed

Brev. M alloy bar /Brev. M forged flip/flop stem

Masi SLS saddle Brev. M alloy seatpost

Alloy 28h cassette hubs w/ alloy QR

Brev. M 28 Race rims

Kenda Kontender 26c tires Tektro R312 dual pivot brakeset











In Italian, Inizio means "to start". And the Inizio starts new cyclists off with an unbeatable combination of race-proven geometry in both traditional and womenspecific Bellissima models, as well as innovations like deeper profile aerodynamic wheels, internal cable routing and an integrated carbon fiber fork. The value-packed Inizio is destined to start many lifelong relationships with cycling.



Offering an unmatched amount of versatility in both high-performance 7000 series aluminum frames for the masochistic racer to more relaxed, comfortable double butted chromoly steel frames for more casual use, the CX series has a bike to fit every conceivable cycling need.

The CX Comp, CXR Comp and CXSS get all-new disc brake systems for 2014, stopping you quickly and reliably no matter how apocalyptic the weather is. Massive tire clearance allows for mud-caked grins on even the nastiest trails and eyelets for rack and fender mounts can transform a Masi CX bike into a machine designed to commute to and from work or trek thousands of miles. And for the truly committed, Masi takes the joy of cyclocross and blends with the zen-like experience of singlespeeding. CX SS; a chromoly steel frame with horizontal track dropouts. The possibilities for Masi CX bikes are limited only to your imagination, so what will you do with yours?





# Exr Comp Masi double-butted alloy frame, PF30, w/ integrated headtube and disc mounts Masi Elite/RS carbon cross fork w/ 7075 alloy steerer w/ disc brake mounts Gossemer Pro Cross crankset PF30 46/36 Shimano 105 shifters, front and rear derailleur Shimano CS-4600, 10-speed, 11-28t cassette Ritchey Comp Logic II alloy bar / Ritchey alloy stem ProLogo Kappa Evo saddle Ritchey alloy 2 bolt seatpost Weinmann X-Star 18 32h w/ alloy disc cassette hub Clement MXP 33c 700x33c tires Tektro Lyra Disc brakeset PXSS Masi CX Disc fork crmo w/lowrider rack mounts 18T freewheel Brev. M alloy seatpost Clement X'Plor MSO 40c tires Tektro Lyra Disc brakeset



eross [] X R COMP / CXSS

FROM trails TO TRANSIT



If your idea of a good time is riding so hard your legs and heart want to explode simultaneously, then the CXR Comp is choice. Even if you like to take it a little easier, the new disc brakes, extremely lightweight design, PF30 bottom bracket and carbon fiber fork on the CXR Comp will catapult you through mud pits, over barriers and feel weightless on your shoulder during those nasty run-ups.

If you are a Luddite\* who simply refuses to accept the conveniences of the modern world, but appreciate being able to stop on a dime, the CXSS is made especially for you. Stripping away all the frivolity of shifting, the disc brake-equipped, double butted steel CXSS also features a steel fork to smooth out even the most tooth-chattering roads and features horizontal track dropouts so you can roll with "one on it".

# Ex Comp Masi double-butted crmo frame, disc brake mounts, rack mounts & fender mounts Masi CX chromoly fork w/ disc, lowrider & fender mounts FSA Tempo crankset; 50/34 w/ FSA sealed cartridge BB Shimano Tiagra shifters, front and rear derailleur Sunrace CSR cassette 12-32T 10-speed Brev. M alloy drop bar / Brev. M forged flip/flop stem Masi M Classic saddle Brev. M alloy seatpost Weinmann X-Star 18 32h rims w/ alloy 32h cassette hubs w/ alloy QR Clement X'Plor MXO 700 X 40c tires Tektro Lyra Disc brakeset

Masi 100% chromoly frame w/ rack & fender mounts Masi lugged chromoly w/ canti, lowrider & fender mounts FSA Tempo crankset; 52/42/30 w/ FSA sealed cartridge BB Shimano Claris shifters, front and rear derailleur Sunrace CSR-66 cassette 11-32T 8-speed Brev. M alloy drop bar / Brev. M forged flip/flop stem Brev. M Classic saddle Brev. M alloy seatpost

Kenda Small Block 8, 700 X 38c tires

Tektro Oryx cantilever brakeset

# 'Ex

Masi 100% chromoly frame w/ rack & fender mounts Masi lugged chromoly fork w/ canti, lowrider & fender mounts FSA Tempo crankset; 50/34 w/ sealed cartridge BB Shimano 2300 shifters, front and rear derailleur Sunrace CSR-86 cassette 12-25T 8-speed Brev. M alloy drop bar / Brev. M forged flip/flop stem Masi SLS saddle

Brev. M alloy seatpost Weinmann SEC 16 32h rims w/ alloy cassette hubs w/ alloy QR Clement X'Plor USH 700 X 35c tires Tektro Oryx cantilever brakeset







Cross G X COMP / CX TRIPLE / CX FROM trails TO TRANSIT



For those who prefer the timeless look and feel of steel, the CX Comp delivers all the versatility of a cyclocross bike with a Masi specific double butted chromoly frame and fork. Featuring disc brakes, rack and fender mounts and Shimano Sora shifting, the CX Comp is ready to take on any challenge, whether it be commuting, touring or even the occasional race.

There's a good reason why the double butted steel CX is one of the most popular Masi models in our lineup; it delivers an incredible amount of value and versatility. The CX is a two-wheeled SUV, designed to go everywhere from a muddy singletrack to work or the supermarket. With a new triple ring crankset that's more touring friendly, the CX will take you everywhere your adventuring soul may wander.

# OSIS OF ECONOMICS OF ECONOMICS

Since the 12th Century B.C., man has used extreme heat and hardened muscle to shape steel. And since the 1930's, "The Tailor" Faliero Masi has made some of the most sought after bicycles in the world with the same material. As a tribute to the old world tradition of Masi blended with new world technology, we present the Fixed & Steel series.

In an age where most other manufacturers have abandoned their steel roots, Masi holds true to its heritage, for steel is what the iconic Masi name was built from. All Masi steel bikes are made from 100 percent drawn chromoly tubing because it delivers a superior ride designed to last a lifetime. So whether you choose the legendary Gran Criterium made with Reynolds 525 tubing and lug construction or prefer the more urban Uno and Riser fixed gear singlespeeds, every steel Masi is made with the same style and passion "The Tailor" put into every one of his own moving works of art.











Any bike collector will tell you the Gran Criterium is widely regarded as one of the most sought after racing bicycles in history. As a modern tribute to this icon, the Gran Criterium blends classic lugged joints and Reynolds 525 tubing with an all new, advanced FSA 386 MegaEVO BB with 30mm bearings for performance never before seen on a Gran Criterium. Adorned with a new matte and glossy black paint scheme, the Gran Criterium continues to command the respect it deserves.

There is no better way to experience the pure, simple joy of cycling than on a classic steel road bike like the Strada. Outfitted with new components including Shimano Sora shifting and Brev. M bar, stem and saddle with a 30-year vintage look, the Strada takes you back to the days when life was simpler and riding was more ethereal.










Speciale R I S E R / UNO RISER / UNO DROP



Countless hours can be spent trying to color coordinate your urban steed, or you can just get yourself a Masi Riser that does all the work for you. Matching green anodized Brev M. components and deep V 32 mm alloy rims to a beautiful translucent black frame with green decal accents, the Riser perfectly blends classic Masi design with modern urban style.

For those who have an everyday routine of dodging cars and hopping curbs, the Uno series in both riser and drop handlebars mash up timeless Masi style with an urban fixie look. And with new 30mm deep-V rims, exclusive Brev. M components and an Alloy Retro crankset, the Uno outclasses every other fixie in the neighborhood.





# Frames (from top right)

Evoluzione Frameset (UD / White) Evoluzione Frameset (Team Green) Gran Criterium Frameset Coltello Frameset

Masi Cork Tape

# Masi RBG jersey and Bib kit

Race cut for the sporty look and made in the USA by JL Velo using high quality materials and eco-friendly techniques.

Masi 21oz water bottle

## Masi RBG socks

High-quality stylish SockGuy cycling socks with a 6" cuff.

	Evoluzione Dura Ace Di2	Evoluzione Dura Ace	Evoluzione Red	Evoluzione Record	Evoluzione Ultegra Di2	Evoluzione Ultegra	Evoluzione 105	Premiare PC5	Premiare PC4
Frame	Masi MC7 carbon, Di2 compatible, PF30, internal routing, tapered headtube	Masi MC5 carbon, Di2 compatible, PF30, internal routing, tapered headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube					
Sizes	47cm, 50cm, 53cm, 56cm, 59cm, 62cm	47cm, 50cm, 53cm, 56cm, 59cm, 62cm	XS, S, M, M/L, L, XL	XS, S, M, M/L, L, XL					
Colors	Team Green	Matte Charcoal / White	Matte Charcoal / White	Matte Charcoal / White	White / Red	Silver / White	Matte Charcoal / Red	Charcoal / Green	SG Charcoal / Red
Fork	Masi FC / Pro Taper monocoque carbon	Masi Elite / RS Taper carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ carbon steerer	Masi Elite / RS carbon integrated w/ carbon steerer					
Headset	Ritchey Pro Logic Taper headset	FSA Orbit C-40 Taper headset	FSA Orbit C-40 Taper headset	FSA Orbit C-40 Taper headset	FSA 23/CC internal	FSA 23/CC internal			
Crank Set	Shimano Dura Ace, 53/39	Shimano Dura Ace, 53/39	Sram Red PF30, 53/39	Campagnolo Record, 53/39	FSA SLK Lite PF30, 52/36	FSA SLK Lite PF30, 53/39	FSA Gossamer Pro PF30, 50/34	SLK Light 386 EVO, 50/34	Gossamer Pro 386 EVO, 50/34
Bottom Bracket	Shimano Dura Ace w/ Press Fit 30 Adapters	Shimano Dura Ace w/ Press Fit 30 Adapters	Sram Red, Press Fit 30	Campagnolo Record, OS-Fit, Press Fit 30	FSA Press Fit 30	FSA Press Fit 30	FSA Press Fit 30	FSA Mega EVO	FSA Mega EVO
Derailleur Front	Shimano Dura Ace Di2	Shimano Dura Ace	Sram Red	Campagnolo Record	Shimano Ultegra Di2	Shimano Ultegra	Shimano 105	Shimano Dura Ace	Shimano Ult egra
Derailleur Rear	Shimano Dura Ace Di2	Shimano Dura Ace	Sram Red	Campagnolo Record	Shimano Ultegra Di2	Shimano Ultegra	Shimano 105	Shimano Dura Ace	Shimano Ultegra
Freewheel	Shimano CS-9000, 11 speed, 11-25t	Shimano CS-9000, 11 speed, 11-25t	Sram PG-1190, 11 speed, 11-26t	Campagnolo Record, 11 speed, 11-25t	Shimano CS-6800, 11 speed, 11-28t	Shimano CS-6800, 11 speed, 11-25t	Shimano CS-5700, 10 speed, 11-28t	Shimano CS-6800, 11 speed, 11-28t	Shimano CS-6800, 11 speed, 11-32t
Chain	Shimano CN-9000	Shimano CN-9000	Sram PG-1190	Campagnolo Record 11	Shimano CN-6800	Shimano CN-6800	Shimano CN-5701	Shimano CN-6800	Shimano CN-6800
Pedals	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Handlebar	Ritchey WCS Carbon Evo Curve, 31.8mm	Ritchey WCS Evo Curve, 31.8mm	Ritchey WCS Evo Curve, 31.8mm	Ritchey WCS Evo Curve, 31.8mm	Ritchey Pro Evo Curve, 31.8mm	Ritchey Pro Evo Curve, 31.8mm	Ritchey Comp Logic II, 31.8mm	Ritchey Pro Evo Curve, 31.8mm	Ritchey Comp Logic II, 31.8mm
Handlebar Widths	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	XS = 40cm, S = 42cm, M = 42cm, M/L = 44cm, L = 44cm, XL= 44cm	XS = 40cm, S = 42cm, M = 42cm, M/L = 44cm, L = 44cm, XL= 44cm
Stem	Ritchey WCS Carbon C-260	Ritchey WCS 4-Axis	Ritchey WCS 4-Axis	Ritchey WCS 4-Axis	Ritchey Pro 4-Axis 44	Ritchey Pro 4-Axis 44	Ritchey 6061	Ritchey Pro 4-Axis 44	Ritchey Comp 4-Axis
Stem Lengths	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	XS = 90mm, S = 90mm, M = 100mm, M/L = 100mm, L = 110mm, XL = 120mm	XS = 90mm, S = 90mm, M = 100mm, M/L = 100mm, L = 110mm, XL = 120mm
Tape / Grip	Masi cork tape	Masi cork tape	Masi cork tape	Masi cork tape					
Derailleur Shifter	Shimano Dura Ace Di2	Shimano Dura Ace	Sram Red	Campagnolo Record	Shimano Ultegra Di2	Shimano Ultegra	Shimano 105	Shimano Dura Ace	Shimano Ultegra
Saddle	Ritchey WCS Carbon Streem	Ritchey WCS Carbon Streem	Ritchey WCS Carbon Streem	Ritchey WCS Carbon Streem	ProLogo Scratch Pro	ProLogo Scratch Pro	ProLogo Scratch Pro	ProLogo Scratch Pro	ProLogo Scratch Pro
Seat Post	Ritchey WCS 1 bolt carbon, 31.6 x 350mm	Ritchey Pro 2 bolt, 31.6 x 350mm	Ritchey Pro 2 bolt, 31.6 x 350mm	Ritchey 6061 2 bolt, 31.6 x 300mm	Ritchey Pro 2 bolt, 31.6 x 350mm	Ritchey Comp 2 bolt, 31.6 x 350mm			
Seat Post Clamp	Alloy SL	Alloy SL	Alloy SL	Alloy SL					
Wheelset	Mercury M3 front / Mercury M5 rear carbon clincher	Mercury S3 front / Mercury S5 rear carbon clincher	Mercury S3 front / Mercury S5 rear carbon clincher	Mercury S3 front / Mercury S5 rear carbon clincher	Reynolds Stratus Comp	Reynolds Stratus Comp	Ritchey Pro DS 20/24h rims, alloy cassette hubs, stainless spokes	Reynolds Stratus Comp	Reynolds Stratus Elite
Tires	Kenda Kountach 25c folding bead, 120tpi	Kenda Kriterium 25c wire bead	Kenda Kriterium 25c wire bead	Kenda Kriterium 25c wire bead					
Brakes	Shimano Dura Ace	Shimano Dura Ace	Sram Red	Campagnolo Record	Shimano Ultegra	Shimano Ultegra	Shimano 105	Tektro R741 w/ cartridge pads	Tektro R540 w/ cartridge pads
Brake Lever	Shimano Dura Ace	Shimano Dura Ace	Sram Red	Campagnolo Record	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Dura Ace	Shimano Ultegra

Premiare PC3 Bellissima	Premiare PC3	Premiare PC2	Premiare PC1 Bellissima	Premiare PC1	Gran Corsa	Vincere Bellissima	Vincere	Alare Bellissima
Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MC3 carbon w/ internal rear brake routing and integrated headtube	Masi MA6 double-butted alloy w/ internal rear brake routing and integrated tapered headtube	Masi MA4 double-butted alloy w/ internal rear brake routing and integrated headtube	Masi MA4 double-butted alloy w/ internal rear brake routing and integrated headtube	Masi MA4 double- butted alloy w/ internal rear brake routing and integrated headtube
XS, S, M, M/L	XS, S, M, M/L, L, XL	XS, S, M, M/L, L, XL	XS, S, M, M/L	XS, S, M, M/L, L, XL	47cm, 50cm, 53cm, 56cm, 59cm, 62cm	47cm, 49cm, 51cm, 53cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	47cm, 49cm, 51cm, 53cm
Chery Cola / Grey	Matte Blue / Grey	Orange / Grey	Teal / Grey	Red / Grey	SG Black	Charcoal	Silver	Matte Galaxy Black
Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy tapered steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer	Masi Elite / RS carbon integrated w/ 7075 alloy steerer
FSA 23/CC internal	FSA Orbit C-40B-1 Taper headset	FSA 23/CC internal	FSA 23/CC internal	FSA 23/CC internal				
FSA Omega, 50/34	FSA Omega, 50/34	FSA Vero, 50/34	FSA Tempo, 50/34	FSA Tempo, 50/34	FSA Omega PF30, 50/34	FSA Vero, 50/34	FSA Vero, 50/34	FSA Tempo, 50/34
FSA Mega EXO	FSA Mega EXO	FSA square taper	FSA square taper	FSA square taper	FSA Press Fit 30	FSA square taper	FSA square taper	FSA square taper
Shimano 105	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Tiagra	Shimano Tiagra	Shimano Sora
Shimano 105	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Tiagra	Shimano Tiagra	Shimano Sora
Shimano CS-4600, 10 speed, 12-30t	Shimano CS-4600, 10 speed, 12-30t	Sunrace CSRS, 10 speed, 12-32t	Sunrace CSM-90, 9 speed, 11-32t	Sunrace CSM-90, 9 speed, 11-32t	Shimano CS-4600, 10 speed, 12-28t	Sunrace CSRS, 10 speed, 12-32t	Sunrace CSRS, 10 speed, 12-32t	Sunrace CSM-90, 9 speed, 11-32t
Shimano CN-4601	Shimano CN-4601	Shimano CN-4601	Taya TB-90	Taya TB-90	Shimano CN-4601	Shimano CN-4601	Shimano CN-4601	Taya TB-90
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Nylon body
Ritchey Comp Logic II, 31.8mm	Ritchey Comp Logic II, 31.8mm	Brev. M alloy, 31.8mm	Brev. M Bellissima alloy, 31.8mm	Brev. M alloy, 31.8mm	Ritchey Comp Logic II, 31.8mm	Brev. M Bellissima alloy, 31.8mm	Brev. M alloy, 31.8mm	Brev. M Bellissima alloy, 31.8mm
XS = 38cm, S = 40cm, M = 40cm, M/L = 42cm	XS = 40cm, S = 42cm, M = 42cm, M/L = 44cm, L = 44cm, XL=44cm	XS = 40cm, S = 42cm, M = 42cm, M/L = 44cm, L = 44cm, XL = 44cm	XS = 38cm, S = 40cm, M = 40cm, M/L = 42cm,	XS = 40cm, S = 42cm, M = 42cm, M/L = 44cm, L = 44cm, XL=44cm	47cm = 40cm, 50cm = 40cm, 53cm = 42cm, 56cm = 44cm, 59cm = 44cm, 62cm = 44cm	47cm = 38cm, 49cm = 38cm, 51cm = 40cm, 53cm = 40cm	49cm = 40cm, 51cm = 42cm, 53cm = 42cm, 56cm = 44cm, 58cm = 44cm, 60cm = 44cm	47cm = 60mm, 49 = 60mm, 51 = 75mm, 53 = 75mm
Ritchey 6061	Ritchey 6061	Brev. M 3-D forged alloy	Brev. M 3-D forged alloy	Brev. M 3-D forged alloy	Ritchey 6061	Brev. M 3-D forged alloy	Brev. M 3-D forged alloy	Brev. M 3-D forged alloy
XS = 70mm, S = 80mm, M = 90mm, M/L = 90mm	XS = 90mm, S = 90mm, M = 100mm, M/L = 100mm, L = 110mm, XL = 120mm	XS = 90mm, S = 90mm, M = 100mm, M/L = 100mm, L = 110mm, XL = 120mm	XS = 70mm, S = 80mm, M = 90mm, M/L = 90mm	XS = 90mm, S = 90mm, M = 100mm, M/L = 100mm, L = 110mm, XL = 120mm	47cm = 90mm, 50cm = 90mm, 53cm = 100mm, 56cm = 100mm, 59cm = 110mm, 62cm = 120mm	47cm = 70mm, 49 = 80mm, 51 = 80mm, 53 = 90mm	49cm = 90mm, 51cm = 90mm, 53cm = 100mm, 56cm = 100mm, 58cm = 110mm, 60cm = 120mm	47cm = 70mm, 49 = 80mm, 51 = 80mm, 53 = 90mm
Masi cork tape	Masi cork tape	Masi cork tape	Masi cork tape					
Shimano 105	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Tiagra	Shimano Tiagra	Shimano Sora
Masi Bellissima	Masi SLS	Masi SLS	Masi Bellissima	Masi SLS	Ritchey Comp Streem V2	Masi Bellissima	Masi SLS	Masi Bellissima
Ritchey 6061 Zero Offset 2 bolt, 31.6 x 300mm	Ritchey 6061 2 bolt, 31.6 x 300mm	Brev. M alloy, 31.6 x 300mm	Brev. M Zero Offset alloy, 31.6 x 300mm	Brev. M alloy, 31.6 x 300mm	Ritchey 6061 2 bolt, 27.2 x 350mm	Brev. M Zero Offset alloy, 27.2 x 300mm	Brev. M alloy, 27.2 x 300mm	Brev. M Zero Offset alloy, 27.2 x 300mm
Alloy SL	Alloy SL	Alloy SL	Alloy SL					
Ritchey Pro DS 20/24h rims, Alloy cassette hubs, stainless spokes	Ritchey Pro DS 20/24h rims, alloy cassette hubs, stainless spokes	Brev. M 20/24h rims, alloy cassette hubs, stainless spokes	Brev. M 24/28h rims, Alloy cassette hubs, stainless spokes	Brev. M 24/28h rims, alloy cassette hubs, stainless spokes	Ritchey Pro DS 20/24h rims, alloy cassette hubs, stainless spokes	Brev. M 20/24h rims, alloy cassette hubs, stainless spokes	Brev. M 20/24h rims, alloy cassette hubs, stainless spokes	Brev. M 24/28h rims, alloy cassette hubs, stainless spokes
Kenda Kontender 26c wire bead	Kenda Kontender 23c wire bead	Kenda Kontender 26c wire bead	Kenda Kontender 26c wire bead	Kenda Kontender 26c wire bead				
Tektro R340 w/ cartridge pads	Tektro R340 w/ cartridge pads	Tektro R312 w/ cartridge pads	Tektro R312	Tektro R312	Tektro R340 w/ cartridge pads	Tektro R312 w/ cartridge pads	Tektro R312 w/ cartridge pads	Tektro R312
Shimano 105	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Tiagra	Shimano Tiagra	Shimano Sora

EVOLUZIONE

PREMIARE

PERFORMANCE

Frame

Sizes

Colors

ed alloy w/ interna

49cm, 51cm, 53cn

56cm, 58cm, 60cn

Gray

lasi Elite / RS carb

egrated w/ 7075 allo steerer

FSA 23/CC interna

FSA Tempo, 50/34

FSA square tape

Shimano Sora

ınrace CSM-90,

speed, 11-32t

Taya TB-90

Nylon body

rev. M alloy, 31.8m

9cm = 40cm, 51cm

12cm, 53cm = 42cn

6cm = 44cm, 58cm

44cm, 60cm = 44cr

Brev. M 3-D forged alloy

9cm = 75mm, 51cn 0mm, 53cm = 90m

m = 105mm, 58ci

mm, 60cm = 120n

Masi cork tape

Shimano Sora

Masi SLS

Brev. M alloy, 27.2 300mm

Alloy SL

rev. M 24/28h rir

stainless spokes

enda Kontender 20

wire bead

Tektro R312

alloy w/internal re

brake routing

53cm

White

1asi Elite / RS carbo

egrated w/ 7075 allo steerer

FSA Threadless

FSA Tempo, 50/34

FSA square taper

Sunrace CSM-66, 8

Taya Octo

Nylon body

v. M Bellissima allo

7cm = 38cm, 49cm

8cm, 51cm = 40cm

Brev. Malloy

0mm, 51 = 75mm, 53

Masi cork tape

Shimano Claris

Masi Bellissima

Brev. M Zero Offset

alloy, 27.2 x 300mm

Alloy SL

rev. M 24/28h rim

stainless spokes

enda Kontender 260

Tektro R312

l alloy w/ internal re brake routing

53cm

Pearl White

1asi Elite / RS carb

egrated w/ 7075 al. steerer

FSA Threadless

Forged alloy, 50/34

FSA square taper

Shimano A070

Sunrace CSR-63,

speed, 11-28t

KMC Z-50

Nylon body

31.8mm

47cm = 38cm, 49cm 38cm, 51cm = 40cn

53cm = 40cm

Brev. M alloy

47cm = 70mm, 49

30mm, 51 = 80mm, 5

Masi cork tape

Shimano A070

Masi Bellissima

Brev. M Zero Offse

alloy, 27.2 x 300mi

Alloy SL

ev. M 28h rims, all

spokes

Kenda Kontender 26

Tektro R312

alloy w/ internal rebrake routing

56cm, 58cm, 60cm

SG Charcoal

Masi Elite / RS carbo

tegrated w/ 7075 allo steerer

FSA Threadless

FSA Tempo, 50/34

FSA square taper

iunrace CSM-66, 8

Taya Octo

Nylon body

Brev. M alloy, 31.8mi

2cm, 53cm = 42cm

6cm = 44cm, 58cm

44cm, 60cm = 44cm

Brev. M alloy

cm = 105mm, 58cm

Masi cork tape

Shimano Claris

Masi SLS

Brev. M alloy, 27.2 x

300mm

Alloy SL

rev. M 24/28h rin

enda Kontender 26

Tektro R312

l alloy w/ internal rea brake routing

56cm, 58cm, 60cm

sso Red, Matte Blac

1asi Elite / RS carb

tegrated w/ 7075 allo steerer

FSA Threadless

Forged alloy, 50/34

FSA square taper

Shimano A07

Sunrace CSR-63, 2

KMC Z-50

Nylon body

rev. M alloy, 31.8mn

6cm = 44cm, 58cm

44cm, 60cm = 44cm

Brev. M alloy

mm, 53cm = 100mn

cm = 100mm, 58cm

Masi cork tape

Shimano A070

Masi SLS

Brev. M alloy, 27.2 x

300mm

Alloy SL

v. M 28h rims, allo

ssette hubs, stainle.

spokes

enda Kontender 260

wire bead

Tektro R312

, PF30, w/ integr headtube

Blue Steel

Masi Elite / RS Cro

FSA 23/CC interna

FSA Press Fit 30

chey Comp Logic l 31.8mm

57cm = 44cm, 60c

57cm = 110mm, 60cm = 120mm

Shimano 105

ProLogo Kappa Evo

Ritchey 6061 2 boli 27.2 x 350mm

Veinmann X-Star 18

Clement MXP 33c

Derailleur Front

Stem Lengths

Wheelset

Tires

Brakes Brake Lever

PERFORMANCE

CROSS

Speciale CX/SS

crmo w/ disc brake mounts,

FSA Threadless

Brev. Malloy, 31.8m.

49cm = 40cm, 52cm

57cm = 44cm, 60cn = 44cm

Brev. M 3-D forge

Brev. M alloy, 27.2

spokes

SG Galactic Black

FSA Orbit X1 Threadless

FSA square taper

Brev. Malloy, 31.8m

56cm = 44cm, 58cm

6cm = 105mm, 58cm

300mm

Neinmann X-Star 1

FSA Tempo, 52/42/30

FSA square taper

49cm = 42cm, 51cm =

6cm = 44cm, 58cm

44cm, 60cm = 44cm

56cm = 105mm, 58cm

Brev. M alloy, 27.2 x

300mm

CX	Gran Criterium	Speciale Strada	Fixed Riser	Fixed Uno Riser	Fixed Uno Drop	Evoluzione Frameset	Gran Criterium Frameset	Coltello Frameset
Masi 100% crmo w/ rack & fender mounts	Reynolds 525 lugged double-butted crmo	Masi 100% crmo	Masi double-butted crmo	Masi 100% crmo	Masi 100% crmo	Masi MC7 carbon, Di2 compatible, PF30, internal routing, tapered headtube	Reynolds 525 lugged double-butted crmo	Masi double-butted alloy w/ integrated headtube
49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	47cm, 50cm, 53cm, 56cm, 59cm, 62cm	49cm, 51cm, 53cm, 56cm, 58cm, 60cm	49cm, 52cm, 55cm, 57cm, 60cm
Charcoal	Black	Galactic Blue / Silver	Transluscent Black	Matte Raw, Red	Blue	Team Green, UD White	Black	Silver
Masi lugged crmo w/ canti bosses, lowrider rack & fender mounts	Masi lugged crmo	Masi lugged crmo	Masi lugged crmo	Masi straight leg crmo	Masi straight leg crmo	Masi FC/Pro Taper monocoque carbon	Masi lugged crmo	Masi Elite/RS carbon track fork integrated w/ 7075 alloy steerer
Ritchey Logic Comp CX	FSA Threadless	FSA Threadless	FSA Threadless	FSA Threadless	FSA Threadless	Ritchey Pro Logic Taper headset	FSA Threadless	FSA 23/CC internal
FSA Tempo, 50/34	Gossamer Pro 386 EVO, 50/34	Brev. M Retro alloy, 50/34	Brev. M alloy w/ Brev. M 46t chainring	Brev. M Retro alloy, 46t chainring	Brev. M Retro alloy, 46t chainring	N/A	N/A	N/A
FSA square taper	FSA Mega EVO	FSA square taper	FSA square taper	FSA square taper	FSA square taper	N/A	N/A	N/A
Shimano 2300	Shimano 105	Shimano Sora	N/A	N/A	N/A	N/A	N/A	N/A
Shimano 2300	Shimano 105	Shimano Sora	N/A	N/A	N/A	N/A	N/A	N/A
Sunrace CSR-86, 8 speed, 12-25t	Shimano CS-5700, 10 speed, 11-28t	Sunrace CSR-9, 9 speed, 11-28t	16t fixed cog w/ lock ring & 16t freewheel	16t fixed cog w/ lock ring & 16t freewheel	16t fixed cog w/ lock ring & 16t freewheel	N/A	N/A	N/A
Taya Octo	Shimano CN-5701	Taya TB-90	KMC Z-410	KMC Z-410	KMC Z-410	N/A	N/A	N/A
Nylon body	N/A	Nylon body	Nylon body	Nylon body	Nylon body	N/A	N/A	N/A
Brev. M alloy, 31.8mm	Deda RHM-02, 31.8mm	Brev. M alloy, 31.8mm	Brev. M alloy 30mm rise, 25.4mm	Brev. M alloy 30mm rise, 25.4mm	Masi alloy track, 25.4mm	N/A	N/A	N/A
49cm = 42cm, 51cm = 42cm, 53cm = 42cm, 56cm = 44cm, 58cm = 44cm, 60cm = 44cm	49cm = 42cm, 51cm = 44cm, 53cm = 44cm, 56cm = 46cm, 58cm = 46cm, 60cm = 46cm	49cm = 40cm, 51cm = 42cm, 53cm = 42cm, 56cm = 44cm, 58cm = 44cm, 60cm = 44cm	600mm	600mm	380mm	N/A	N/A	N/A
Brev. M alloy	Deda Zero 2, 31.8mm	Brev. M alloy	Brev. M alloy	Brev. M alloy	Brev. M alloy	N/A	N/A	N/A
49cm = 70mm, 51cm = 90mm, 53cm = 90mm, 56cm = 105mm, 58cm = 105mm, 60cm = 120mm	49cm = 90mm, 51cm = 90mm, 53cm = 100mm, 56cm = 100mm, 58cm = 110mm, 60cm = 120mm	49cm = 70mm, 51cm = 90mm, 53cm = 90mm, 56cm = 105mm, 58cm = 105mm, 60cm = 120mm	49cm = 70mm, 51cm = 90mm, 53cm = 90mm, 56cm = 105mm, 58cm = 105mm, 60cm = 120mm	49cm = 75mm, 51cm = 90mm, 53cm = 90mm, 56cm = 105mm, 58cm = 105mm, 60cm = 120mm	49cm = 75mm, 51cm = 90mm, 53cm = 90mm, 56cm = 105mm, 58cm = 105mm, 60cm = 120mm	N/A	N/A	N/A
Masi cork tape	Masi cork tape	Masi cork tape	Brev. M No Flange grip	Brev. M No Flange grip	Brev. M Track grip	N/A	N/A	N/A
Shimano 2300	Shimano 105	Shimano Sora	N/A	N/A	N/A	N/A	N/A	N/A
Masi SLS	ProLogo Scratch Pro	Brev. M Sellino	Brev. M Sellino	Brev. M Classic	Brev. M Classic	N/A	N/A	N/A
Brev. M alloy, 27.2 x 300mm	Deda RSX 02, 27.2 x 350mm	Brev. M alloy, 27.2 x 300mm	Brev. M alloy, 27.2 x 300mm	Brev. M alloy, 27.2 x 300mm	Brev. M alloy, 27.2 x 300mm	N/A	N/A	N/A
Alloy SL	Integrated w/ frame	Integrated w/ frame	Alloy SL	Alloy SL	Alloy SL	Alloy SL	Integrated w/ frame	Integrated w/ frame
Weinmann SEC 16 32h rims, alloy cassette hubs, stainless spokes	Shimano RS11	Weinmann LP18 32h rims, alloy cassette hubs, stainless spokes	Brev. M 40mm deep 32h rims, Brev. M flip/ flop sealed bearing hubs w/ track nuts, stainless spokes	Brev. M 30mm deep 32h rims, flip/flop hubs w/ track nuts, stainless spokes	Brev. M 30mm deep 32h rims, flip/flop hubs w/ track nuts, stainless spokes	N/A	N/A	N/A
Clement X'Plor USH 35c wire bead	Clement Strada LLG 25c wire bead	Kenda Kontender 26c wire bead	Brev. M Slittata 28c wire bead	Kenda Kontender 26c wire bead	Kenda Kontender 26c wire bead	N/A	N/A	N/A
Tektro Oryx	Shimano 105	Tektro R312	Tektro R315	Tektro R315	Tektro R315	N/A	N/A	N/A

Tektro HAL89A

Tektro HAL89A

**SPECIALE** FRAME SETS

	Α	В	С	D	Ε	F	G	Н	1			Α	В	С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over	Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Sta
47	470	520	72	74	410	68	45	965	100	712	XS	43	515	71	74	420	73	50	986	125	7
50	500	530	72.5	74	410	68	45	975	120	744	S	46.5	530	72	74	420	73	45	988	145	7
53	530	545	73	74	410	68	45	986	140	764	М	50	545	72.5	73	420	70	45	990	165	7.
56	560	565	73.5	73.5	410	68	45	996	160	797	M/L	53.5	560	72.5	73	420	68	40	1001	185	8
59	590	585	73	73.5	410	68	45	1021	180	817	L	55.5	575	72.5	72	420	68	40	1004	205	8
62	620	595	73	73.5	410	68	45	1031	200	842	XL	58.5	595	72.5	72	420	65	40	1025	225	8
KR Co	nmn										CX Co	C	V Tainle	CV							
	A	В	С	D	Ε	F	G	Н	1		CX CO.	пр , С <i>)</i> А	В	с С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over	Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Sto
49	490	515	71	74	425	65	45	984	95	753	49	490	520	71.5	74.5	432	68	45	999	81	<i>7</i> .
52	520	535	72	73.5	425	65	45	995	105	772	51	510	530	71.5	74	432	68	45	1005	98	7
55	550	550	72	73	425	65	45	1006	135	800	53	530	535	72	73.5	432	65	45	1003	113	7
57	570	570	72	73	425	65	45	1026	160	822	56	560	555	72	73	432	65	45	1019	143	8
60	600	590	72	72.5	425	65	45	1041	185	847	58	580	575	72	73	432	65	45	1039	161	8.
60	600	600	74	72.5	418	68	43	1021	179	827	60	600	590	72	72.5	432	65	45	1049	185	8.
an Cr	riteriu A	<b>m</b> B	С	D	E	F	G	Н	I		Special	e Strad	<b>a</b> B	С	D	E	F	G	Н	I	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over	Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Sto
49	490	529	71	73.5	408	70	45	978	98	723	49	490	520	72	74.5	415	70	45	976	81	7.
51	510	530	72.5	73.5	412	70	45	975	102	743	51	510	530	72.5	74	415	70	45	978	98	7.
53	530	545	72	73	412	70	43	983	116	760	53	530	545	73	73.5	415	70	43	982	113	70
56	560	565	73.5	73	412	68	43	991	145	790	56	560	565	73.5	73	415	68	43	994	143	7:
58	580	580	74	73	412	68	43	1001	150	810	58	580	580	74	73	419	68	43	1008	161	8
60	600	600	74	72.5	418	68	43	1021	179	827	60	600	600	74	72.5	419	68	43	1021	179	8.
				4.1		D #					Danton	D	P	alliaaim	lui-	ia Ini-	io Bellis				
mco#0	Vinc	ara Rall	icaima		Alama						raiteii.		teliza D	eiii22iii	ia, iiiizi	o, miiz	io beilis	SIIIIa			
ncere	, <b>Vinc</b>	ere Bell B	<b>issima,</b> C	Alare,	Alare I	F F	<b>na</b> G	Н	I			Α	В	С	D	Ε	F	G	Н	1	
ncere,	A Seat Tube	B Top Tube						H Wheel Base	Head Tube	Stand Over	Size	A Seat Tube	Top Tube	C Head Angle	D Seat Angle	E Chain- stay	F BB Drop	G Fork Offset	H Wheel Base	Head Tube	
Size	A Seat Tube (C-T)	B Top Tube (Effective)	C Head Angle	D Seat Angle	E Chain- stay	F BB Drop	G Fork Offset	Wheel Base	Head Tube Length	Over		A Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Sta O
Size 47	A Seat Tube (C-T) 470	B Top Tube (Effective)	C Head Angle 71	D Seat Angle 75	E Chain- stay 408	F BB Drop 70	G Fork Offset	Wheel Base 965	Head Tube Length	722	47	A Seat Tube (C-T) 470	Top Tube (Effective)	Head Angle 71	Seat Angle 75	Chain- stay 408	BB Drop	Fork Offset	Wheel Base 966	Head Tube Length	7.
Size 47 49	A Seat Tube (C-T) 470 490	B Top Tube (Effective) 505 520	C Head Angle 71	D Seat Angle 75 74.5	E Chainstay 408	F  BB Drop  70  70	G Fork Offset 50	Wheel Base 965 973	Head Tube Length 100	Over 722 722	47 49	A Seat Tube (C-T) 470 490	Top Tube (Effective) 502 520	Head Angle 71 72	Seat Angle 75 74.5	Chain- stay 408 408	BB Drop 73 70	Fork Offset 50	Wheel Base 966 973	Head Tube Length 110	7:
Size 47 49 51	A Seat Tube (C-T) 470 490 510	Top Tube (Effective) 505 520 530	C  Head Angle  71  72  72.5	D  Seat Angle  75  74.5	E Chain-stay 408 408	F  BB Drop  70  70	G Fork Offset 50 50	Wheel Base 965 973 972	Head Tube Length 100 100	Over 722 722 743	47 49 51	A Seat Tube (C-T) 470 490 510	Top Tube (Effective) 502 520 530	Head Angle 71 72 72.5	Seat Angle 75 74.5	Chain- stay 408 408	88 Drop 73 70 70	Fork Offset 50 50	Wheel Base 966 973	Head Tube Length 110 120	7: 7: 7:
Size 47 49 51	A Seat Tube (C-T) 470 490 510	B Top Tube (Effective) 505 520 530 540	C Head Angle 71 72 72.5	D  Seat Angle  75  74.5  74	E Chain-stay 408 408 408	F  BB Drop  70  70  70  70	Fork Offset 50 50 45	Wheel Base 965 973 972 976	Head Tube Length 100 100 130	722 722 743 760	47 49 51 53	A Seat Tube (C-T) 470 490 510	Top Tube (Effective) 502 520 530	Head Angle 71 72 72.5	Seat Angle 75 74.5 74	Chain-stay 408 408 412	88 Drop  73  70  70  70	Fork Offset 50 50 45	Wheel Base 966 973 972 981	Head Tube Length 110 120 140	7:
Size 47 49 51	A Seat Tube (C-T) 470 490 510	Top Tube (Effective) 505 520 530	C  Head Angle  71  72  72.5	D  Seat Angle  75  74.5	E Chain-stay 408 408	F  BB Drop  70  70	G Fork Offset 50 50	Wheel Base 965 973 972	Head Tube Length 100 100	Over 722 722 743	47 49 51	A Seat Tube (C-T) 470 490 510	Top Tube (Effective) 502 520 530	Head Angle 71 72 72.5	Seat Angle 75 74.5	Chain- stay 408 408	88 Drop 73 70 70	Fork Offset 50 50	Wheel Base 966 973	Head Tube Length 110 120	(

## Gran Corsa

	Α	В	С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over
47	470	520	72	74	410	68	45	965	100	712
50	500	530	72.5	74	410	68	45	975	120	744
53	530	545	73	74	410	68	45	986	140	764
56	560	565	73.5	73.5	410	68	45	996	160	797
59	590	585	73	73.5	410	68	45	1021	180	817
62	620	595	73	73.5	410	68	45	1031	200	842

# CX/SS

	Α	В	С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over
49	490	535	71.5	74	442	65	45	1012	95	772
52	520	545	72	73.5	442	65	45	1023	105	792
55	550	565	72	73	442	65	45	1039	135	813
57	570	585	72	73	442	65	45	1060	160	843
60	600	605	72	72.5	442	65	45	1074	185	867
60	600	600	74	72.5	402	68	43	1005	179	827


# Fixed Riser, Fixed Uno Drop, Fixed Uno Riser

	Α	В	С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay (Minimum)	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over
49	490	520	72	74.5	402	70	45	961	81	723
51	510	530	72.5	74	402	70	45	964	98	743
53	530	545	73	73.5	402	70	43	969	113	760
56	560	565	73.5	73	402	68	43	980	143	790
58	580	580	74	73	402	68	43	991	161	810
60	600	600	74	72.5	402	68	43	1005	179	827

# Coltello

	Α	В	С	D	Ε	F	G	Н	1	
Size	Seat Tube (C-T)	Top Tube (Effective)	Head Angle	Seat Angle	Chain- stay	BB Drop	Fork Offset	Wheel Base	Head Tube Length	Stand Over
49	490	523	74	76	402	45	30	958	100	N/A
51	510	525	74	75.5	402	45	30	956	110	N/A
53	530	535	74	75	402	45	30	962	120	N/A
56	560	560	74.5	74	402	45	30	974	135	N/A
58	580	570	74.5	74	402	45	30	1065	165	N/A
60	600	590	75	73.5	402	45	30	993	180	N/A







- Thailand: Asia Int'l